

Issue Date: 31-Dec-2012

Revision/Review Date: 08-Jan-2024

Version 1.1

1. IDENTIFICATION

Product Identifier

Product Name Maxim Non-Butyl Heavy Foaming Degreaser

Other Means of Identification

Product Code 245000

Recommended use of the Chemical and Restrictions on Use

Recommended Use Alkaline degreaser concentrate. For industrial & institutional use.

Details of the Supplier of the Safety Data Sheet

Midlab, Inc.
140 Private Brand Way
Athens, TN 37303

Emergency Telephone Number

Company Phone Number Phone: 1-423-337-3180
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Red

Physical State Liquid

Odor No added fragrance

Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage.



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray.
Wash face, hands and any exposed skin thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.
SPECIFIC TREATMENT: Remove from exposure and treat symptoms.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other Hazards

Harmful to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
(2-Methoxymethylethoxy) Propanol	34590-94-8	1-5
Dipropylene Glycol Monobutyl Ether	29911-28-2	1-5
Tetrasodium EDTA	64-02-8	1-5
Sodium Hydroxide	1310-73-2	1-5

**If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret. **

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get immediate medical advice/attention. If possible, continue to flush eyes with running water until medical attention is received.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing. Wash contaminated clothing before reuse.
Inhalation	Remove to fresh air. Get medical attention immediately.
Ingestion	Rinse mouth. Drink large amounts of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Seek medical attention immediately.

Most important symptoms and effects

Symptoms	Corrosive to eyes. Corrosive and irritating to upper respiratory tract. Prolonged contact may even cause severe skin irritation or mild burn.
-----------------	-----------------------------------------------------------------------------------------------------------------------------------------------

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO₂). Dry chemical. Foam.

Unsuitable Extinguishing Media

Not determined.

Specific Hazards Arising from the Chemical

None known.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions	Use personal protection recommended in Section 8.
Environmental Precautions	Avoid release to the environment.

Methods and Material for Containment and Cleaning Up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Clean-Up	Safety glasses and gloves are recommended when cleaning up spillage. Collect spillage. Spillage may be slick on surfaces. Collect in a clean, dry waste container for disposal. After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling	Wash thoroughly after handling. Use personal protection recommended in Section 8. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.
--------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------

Conditions for Safe Storage, including any Incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool, and well-ventilated place. Keep locked up and out of reach of children. Protect from freezing.
---------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------

Incompatible Materials	Acids. Oxidizing agents.
-------------------------------	--------------------------

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
(2-Methoxymethylethoxy) Propanol 34590-94-8	STEL: 150 ppm TWA: 100 ppm S*	TWA: 100 ppm TWA: 600 mg/m ³ (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m ³ (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m ³ (vacated) S* S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m ³ STEL: 150 ppm STEL: 900 mg/m ³
Sodium Hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³

Appropriate Engineering Controls

Engineering Controls	General room ventilation should be sufficient under normal use conditions.
-----------------------------	----------------------------------------------------------------------------

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection	Splash goggles or safety glasses.
Skin and Body Protection	Rubber, Nitrile, PVC, or other chemically resistant skin protection to prevent contact.
Respiratory Protection	Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	Liquid	Odor	None
Appearance	Clear	Odor Threshold	Not determined
Color	Red		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	12.5-13.0	
Melting Point/Freezing Point	~ 0 °C / ~32 °F	
Boiling Point/Boiling Range	~ 100 °C / ~212 °F	
Flash Point	Not applicable	
Evaporation Rate	Not determined	

Flammability (Solid, Gas)	n/a-liquid	
Upper Flammability Limits	Not determined	
Lower Flammability Limit	Not determined	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Specific Gravity	1.06	
Water Solubility	Completely soluble	@ 25 °C (77 °F)
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children. Keep from freezing.

Incompatible Materials

Acids. Oxidizing agents.

Hazardous Decomposition Products

When exposed to fire, produces normal products of combustion.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact	Causes severe eye damage.
Skin Contact	Causes severe skin burns.
Inhalation	Avoid breathing vapors or mists.
Ingestion	Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
(2-Methoxymethylethoxy) Propanol 34590-94-8	= 5230 mg/kg (Rat)	= 9500 mg/kg (Rabbit)	-
Dipropylene Glycol Monobutyl Ether 29911-28-2	= 1620 µL/kg (Rat)	= 5860 µL/kg (Rabbit)	> 2.04 mg/L (Rat) 4 h = 42.1 ppm (Rat) 4 h
Tetrasodium EDTA 64-02-8	= 10 g/kg (Rat)	-	-
Sodium Hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

- Carcinogenicity** This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
- Chronic toxicity** Chronic exposure may cause liver, kidney and/or blood disorders.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
(2-Methoxymethylethoxy) Propanol 34590-94-8	-	10000: 96 h Pimephales promelas mg/L LC50 static	-	1919: 48 h Daphnia magna mg/L LC50
Dipropylene Glycol Monobutyl Ether 29911-28-2	-	841: 96 h Poecilia reticulata mg/L LC50 static	-	-
Tetrasodium EDTA 64-02-8	1.01: 72 h Desmodemus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static	-	610: 24 h Daphnia magna mg/L EC50
Sodium Hydroxide 1310-73-2	-	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	-	-

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
(2-Methoxymethylethoxy) Propanol 34590-94-8	-0.064

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

- Disposal of Wastes** Disposal should be in accordance with applicable regional, national, and local laws and regulations.
- Contaminated Packaging** Disposal should be in accordance with applicable regional, national, and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Sodium Hydroxide 1310-73-2	Toxic Corrosive

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN3266, Corrosive Liquid, Basic, Inorganic, N.O.S. (Containing Sodium Hydroxide), 8 PG II

IATA

IMDG

15. REGULATORY INFORMATION

International Inventories

Canada – Domestic Substances List (DSL)
TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.
All ingredients are listed or exempt.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium Hydroxide 1310-73-2	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Reactive Hazard Yes

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
(2-Methoxymethylethoxy) Propanol	34590-94-8	1-5	1.0

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2	1000 lb			X

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	State List
(2-Methoxymethylethoxy) Propanol 34590-94-8	MA, NJ, PA
Sodium Hydroxide 1310-73-2	MA, NJ, PA

AZ – Arizona Ambient Air Quality Guidelines
CT – Connecticut Hazardous Air Pollutants
CA – California Director’s List of Hazardous Substances
CAP65 – California Prop 65
FL – Florida Substances List
ID – Idaho Non-Carcinogen Toxic Air Pollutants

IL – Illinois Toxic Air Contaminate- Carcinogenic
MA – Massachusetts Right to Know List
MN – Minnesota Hazardous Substances List
NJ – New Jersey Right to Know List
PA – Pennsylvania Right to Know List
RI – Rhode Island Hazardous Substances List

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection
	3	0	0	Glasses, gloves

Issue Date: 31-Dec-2012
Revision/Review Date: 08-Jan-2024
Revision Note: Version 1.1 Updated Section 3.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

*Denotes changes from last version.

End of Safety Data Sheet