

Issue Date 08-Aug-2011

Revision/Review Date: 08-Jan-2024

Version 1.1

1. IDENTIFICATION

Product Identifier

Product Name Maxim High-Temp Grill Cleaner

Other Means of Identification

Product Code 256000

Recommended use of the Chemical and Restrictions on Use

Recommended Use Alkaline degreaser. For industrial & institutional use.

Details of the Supplier of the Safety Data Sheet

Midlab, Inc.
140 Private Brand Way
Athens, TN 37303

Emergency Telephone Number

Company Phone Number Phone: 1-423-337-3180
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Amber

Physical State Liquid

Odor No added fragrance

Classification

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed.

Signal Word

Danger



Hazard Statements

Causes severe skin burns and eye damage.

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray.
Wash face, hands and any exposed skin thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Potassium Carbonate	584-08-7	10-30
Sodium Carbonate	497-19-8	1-5
Potassium Hydroxide	1310-58-3	1-5

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove and discard contact lenses. Seek immediate medical attention/advice.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation persists, call a physician.
Inhalation	Remove to fresh air. Seek immediate medical attention/advice.
Ingestion	Rinse mouth. Drink plenty of water. Call a physician or poison control center immediately. Do not induce vomiting. Never give anything by mouth to an unconscious person.

Most Important Symptoms and Effects

Symptoms	Corrosive to eyes. Prolonged contact may even cause severe skin irritation or mild burn.
-----------------	--

Indication of any Immediate Medical Attention and Special Treatment Needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO₂). Dry chemical. Foam.

Unsuitable Extinguishing Media

Not determined.

Specific Hazards Arising from the Chemical

None known.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions	Use personal protective equipment as required.
Environmental Precautions	Avoid release to the environment.

Methods and Material for Containment and Cleaning Up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
--------------------------------	---

Methods for Clean-Up Safety glasses and gloves are recommended when cleaning up spillage. Collect spillage. Spillage may be slick on surfaces. Collect in a clean, dry waste container for disposal. After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling Wash thoroughly after handling. Use personal protection recommended in Section 8. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.

Conditions for Safe Storage, including any Incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool, and well-ventilated place. Keep locked up and out of reach of children. Keep from freezing.

Incompatible Materials Acids. Oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium Carbonate 584-08-7	TWA: 2 mg/m ³ (inhalable particulate)	-	-
Potassium Hydroxide 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

Appropriate Engineering Controls

Engineering Controls General room ventilation should be adequate under normal use conditions.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection Splash goggles or safety glasses.

Skin and Body Protection Rubber, Nitrile, PVC, or other chemically resistant skin protection to prevent contact.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	Liquid	Odor	No added fragrance
Appearance	Clear	Odor Threshold	Not determined
Color	Amber		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	>13.0	
Melting Point/Freezing Point	~ 0 °C / ~32 °F	
Boiling Point/Boiling Range	~ 100 °C / ~212 °F	
Flash Point	Not applicable	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	n/a-liquid	
Upper Flammability Limits	Not determined	
Lower Flammability Limit	Not determined	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Specific Gravity	1.06	
Water Solubility	Completely soluble	@ 25 °C (77 °F)

Solubility in other solvents	Not determined
Partition Coefficient	Not determined
Auto-ignition Temperature	Not determined
Decomposition Temperature	Not determined
Kinematic Viscosity	Not determined
Dynamic Viscosity	Not determined
Explosive Properties	Not determined
Oxidizing Properties	Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children. Keep from freezing.

Incompatible Materials

Acids. Oxidizing agents.

Hazardous Decomposition Products

When exposed to fire, produces normal products of combustion.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact	Causes severe eye damage.
Skin Contact	Causes severe skin burns.
Inhalation	Avoid breathing vapors or mists.
Ingestion	May be harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Potassium Carbonate 584-08-7	= 1870 mg/kg (Rat)	> 2000 mg/kg	> 4.96 mg/L (Rat) (4.5hr)
Sodium Carbonate 497-19-8	= 4090 mg/kg (Rat)	-	-
Potassium Hydroxide 1310-58-3	= 214 mg/kg (Rat)	-	-

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

Carcinogenicity Not classifiable as a human carcinogen.

Numerical Measures of Toxicity

Not determined

12. ECOLOGICAL INFORMATION**Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Potassium Carbonate 584-08-7	-	= 230 mg/L (96hr) Bluegill sunfish	-	= 650 mg/L (48hr) Daphnia magna
Sodium Carbonate 497-49-8	242: 120 h Nitzschia mg/L EC50	300: 96 h Lepomis macrochirus mg/L LC50 static 310 – 1220: 96 h Pimephales promelas mg/L LC50 static	-	265: 48 h Daphnia magna mg/L EC50
Potassium Hydroxide 1310-58-3	-	80: 96h Gambusia affinis mg/L LC50 static	-	-

Persistence/Degradability

Not determined

Bioaccumulation

Not determined

Mobility

Chemical Name	Partition Coefficient
Potassium Hydroxide 1310-58-3	0.83

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national, and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Sodium Carbonate 497-19-8	Corrosive
Potassium Hydroxide 1310-58-3	Toxic Corrosive

14. TRANSPORT INFORMATION

DOT UN 3266, Corrosive Liquid, Basic, Inorganic, NOS(Containing Potassium Hydroxide), 8, PG II

IATA

IMDG

15. REGULATORY INFORMATION

International Inventories

Canada – Domestic Substances List (DSL)

All ingredients are listed or exempt.

TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium Hydroxide 1310-58-3	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

SARA 311/312 Hazard Categories

Acute Health Hazard

Yes

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium Hydroxide 1310-58-3	1000 lb			X

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	State List
Potassium Hydroxide 1310-58-3	MA, NJ, PA

AZ – Arizona Ambient Air Quality Guidelines
 CT – Connecticut Hazardous Air Pollutants
 CA – California Director's List of Hazardous Substances
 CAP65 – California Prop 65
 FL – Florida Substances List
 ID – Idaho Non-Carcinogen Toxic Air Pollutants

IL – Illinois Toxic Air Contaminant- Carcinogenic
 MA – Massachusetts Right to Know List
 MN – Minnesota Hazardous Substances List
 NJ – New Jersey Right to Know List
 PA – Pennsylvania Right to Know List
 RI – Rhode Island Hazardous Substances List

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection
	3	0	0	Glasses, gloves

Issue Date 08-Aug-2011
Revision/Review Date: 08-Jan-2024
Revision Note Version 1.1 Updated Section 3

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

*Denotes changes from last version.

End of Safety Data Sheet